

doors and walls, which makes the system secure and stable. Try combining FK with partitions from our F-system, the results are often really impressive.

- Extra robust tubular construction in both doors and walls.
- Can be combined with the F and FP systems.
- Can be cut to suit existing construction.
- Can be supplied with a roof for ceiling heights exceeding 3.5 metres.
- The walls are painted in RAL 9018.

Size (mm) Description Product Vertical tubes 30x20 Tubular steel frame, wall Tubular steel frame, wall Horizontal tubes 25x15 Vertical tubes 30x20 Tubular steel frame, door Horizontal tubes 35x15 Tubular steel frame, door Vertical wires Ø 4,0 Steel mesh Horizontal wires Ø 4,0 Steel mesh

Dimensions 50x65

40-4225750(1) 2000x710 Door opening dimensions 40-4225900(1) 2000x860 Door opening dimensions




Modèles

Door 2 articles

ARTICLES / DESCRIPTION		LARGEUR (MM)	HAUTEUR (MM)
	40-4225750 Door	750	2250
	40-4225900 Door	900	2250

Lock solutions 6 articles



Wall section 10 articles

ARTICLES / DESCRIPTION		LARGEUR (MM)	HAUTEUR (MM)
	40-2020 Wall section	200	2250
	40-2025 Wall section	250	2250
	40-2035 Wall section	350	2250

40-2040 Wall section	400	2250
40-2055 Wall section	550	2250
40-2060 Wall section	600	2250
40-2080 Wall section	800	2250
40-2100 Wall section	1000	2250
40-2110 Wall section	1100	2250
40-2120 Wall section	1200	2250

Accessories 3 articles

ARTICLES / DESCRIPTION		LARGEUR (MM)	HAUTEUR (MM)
	34-00110 Fittings for number patch, F/FK system		
	34-00120 Shelf, double mounting. 1200x400 mm		
	34-00130 Shelf, single mounting. 1200x400 mm		